



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/594,972	06/15/2000	Ada Goerlach-Graw	BMID 9941 US	8671

32842 7590 01/18/2006

THE LAW OFFICE OF JILL L. WOODBURN, L.L.C.
JILL L. WOODBURN
128 SHORE DR.
OGDEN DUNES, IN 46368

EXAMINER

NGUYEN, BAO THUY L

ART UNIT PAPER NUMBER

1641

DATE MAILED: 01/18/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------


060110

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

A supplemental Examiner's Amendment is attached to correct the record as per the conversation with Ms. Woodburn on January 10, 2006.


Bao-Thuy L. Nguyen
Primary Examiner
Art Unit: 1641
Jan 10, 2006

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jill Woodburn on January 10, 2006.

2. In the Specification:

Replaced the abstract of the disclosure in the Examiner's Amendment (dated 11/03/2005) with the following abstract:


An element is provided for the determination of an analyte by a specific binding reaction of two bioaffine binding partners. The element enables liquid transport between a sample application zone and a detection zone downstream thereof as well as a zone containing immobilized analyte or analyte analogue between the sample application and detection zones. An impregnated conjugate 1 is located upstream of the zone containing immobilized analyte or analyte analogue that can be detached by liquid and includes a bioaffine binding partner 1 capable of a specific binding reaction with the analyte and a low molecular organic molecule detectable label 1. A universal conjugate 2 is upstream of the zone containing immobilized analyte or analyte analogue which can also be detached by liquid and is composed of a bioaffine binding partner 2

capable of a specific binding reaction with the detectable label 1 and a visually detectable label 2.

3. Replaced the title of the application with the following: -Element, Method and Kit for the Determination of an Analyte in a Liquid--.
4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao-Thuy L. Nguyen whose telephone number is (571) 272-0824. The examiner can normally be reached on Tuesday and Wednesday from 8:00 a.m. -4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Bao-Thuy L. Nguyen
Primary Examiner
Art Unit 1641

Jan 10, 2006